Leading Causes of Injury Death AGES 15-34: 2007 to 2009 ALAMANCE		
Rank	Cause	#
1	Poisoning, Unintentional	21
2	MVT, Unintentional	17
3	Firearm, Assault	7
4	Suffocation, Self inflicted	6
5	Firearm, Self inflicted	3
	Other	8
TOTAL		62

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 ALAMANCE		
Rank	Cause	#
1	MVT, Unintentional	139
2	Poisoning, Self inflicted	119
3	Fall, Unintentional	46
4	Other spec/class, Unintentional	37
5	Poisoning, Unintentional	28
	Other	194
TOTAL		563

	Leading Causes of Injury ED Visit AGES 15-34: 2007 to 2009 ALAMANCE	S**
Rank	Cause	#
1	MVT, Unintentional	2,002
2	Fall, Unintentional	1,631
3	Overexertion, Unintentional	1,263
4	Unspecified, Unintentional	1,196
5	Struck, Unintentional	1,150
	Other	3,239
TOTAL		10,481

_	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 ALEXANDER	
Rank	Cause	#
4	Deignarium Haintentianal	
1	Poisoning, Unintentional	6
2	MVT, Unintentional	5
3	Firearm, Assault	3
4	Unspecified, Unintentional;	1
5		
	Other	0
TOTAL		18

	AGES 15-34: 2007 to 2009 ALEXANDER	
Rank	Cause	#
1	MVT, Unintentional	53
2	Poisoning, Self inflicted	24
3	Other spec/class, Unintentional	15
4	Poisoning, Unintentional	13
5	Transport,other, Unintentional	10
	Other	63
TOTAL	•	178

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 ALEXANDER	
Rank	Cause	#
1	MVT, Unintentional	681
2	Fall, Unintentional	619
3	Overexertion, Unintentional	505
4	Struck, Unintentional	503
5	Cut/pierce, Unintentional	262
	Other	1,191
TOTAL	•	3,761

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 ALLEGHANY	
Rank	Cause	#
1 2 3	MVT, Unintentional Poisoning, Unintentional; Other land	4
4 5 <b>TOTAL</b>	Other	0 <b>7</b>

	AGES 15-34: 2007 to 2009 ALLEGHANY	
Rank	Cause	#
4	MVT Unintentional	40
1	MVT, Unintentional	13
2	Fall, Unintentional	7
3	Poisoning, Self inflicted	5
	Transport,other, Unintentional;	
4	Fire/Burn, Unintentional	4
5	Struck, Assault	3
	Other	11
TOTAL		47

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 ALLEGHANY	
Rank	Cause	#
1 2 3	Fall, Unintentional Overexertion, Unintentional Struck, Unintentional	406 317 304
4 5 <b>TOTAL</b>	MVT, Unintentional Unspecified, Unintentional Other	290 246 806 <b>2,369</b>

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 ANSON	
Rank	Cause	#
1	MVT, Unintentional	7
2	Firearm, Assault	3
3	Poisoning, Unintentional; Poisoning,	2
4	Other spec/class, Unintentional	1
5		
	Other	0
TOTAL		17

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 ANSON		
Rank	Cause	#
4	MV/T Unintentianal	0.4
1	MVT, Unintentional	24
2	Other spec/class, Unintentional	15
3	Poisoning, Self inflicted	13
4	Poisoning, Unintentional	7
5	Fall, Unintentional	6
	Other	49
TOTAL		114

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 ANSON	
Rank	Cause	#
1	MVT, Unintentional	152
2	Fall, Unintentional	103
3	Overexertion, Unintentional	90
4	Struck, Unintentional	84
5	Unspecified, Unintentional	69
	Other	260
TOTAL	•	758

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 ASHE		
Rank	Cause	#	
1 2 3 4	Suffocation, Self inflicted; Poisoning, MVT, Unintentional Poisoning, Undetermined; Firearm,	3 2 1	
5 <b>TOTAL</b>	Other	0 <b>17</b>	

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 ASHE			
Rank	Cause	#	
1	MVT, Unintentional	24	
2	Poisoning, Self inflicted	18	
3	Poisoning, Unintentional; Other	6	
4	Transport,other, Unintentional	5	
5	Unspecified, Unintentional	4	
	Other	19	
TOTAL	TOTAL 88		

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 ASHE	
Rank	Cause	#
1	Fall, Unintentional	222
2	MVT, Unintentional	169
3	Struck, Unintentional	142
4	Overexertion, Unintentional	133
5	Cut/pierce, Unintentional	107
	Other	324
TOTAL		1,097

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 AVERY	
Rank	Cause	#
1 2 3	Poisoning, Unintentional; Poisoning, Suffocation, Self inflicted	2
4		
5 <b>TOTAL</b>	Other	0 <b>9</b>

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 AVERY		
Rank	Cause	#
1	MVT, Unintentional	18
2	Poisoning, Self inflicted	8
3	Poisoning, Unintentional	5
	Struck, Unintentional; Fall,	
4	Unintentional	4
	Poisoning, Undetermined; Other	3
	spec/class, Unintentional;	
5	Natural/Environ, Unintentional	
	Other	10
TOTAL	TOTAL	

	AGES 15-34: 2007 to 2009 AVERY	
Rank	Cause	#
1 2 3	Fall, Unintentional MVT, Unintentional Struck, Unintentional	308 232 214
4 5	Overexertion, Unintentional  Cut/pierce, Unintentional	210 185
TOTAL	Other	416 <b>1,565</b>

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 BEAUFORT		
Rank	Cause	#	
1	MVT, Unintentional	11	
2	Firearm, Self inflicted; Firearm,	4	
3	Unspecified, Assault	2	
4	Poisoning, Unintentional; Other	1	
5			
	Other	0	
TOTAL		25	

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 BEAUFORT		
Rank	Cause	#
1	MVT, Unintentional	45
2	Poisoning, Self inflicted	42
3	Transport,other, Unintentional	16
4	Fall, Unintentional	13
5	Poisoning, Undetermined	12
	Other	62
TOTAL		190

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 BEAUFORT	
Rank	Cause	#
1	MVT, Unintentional	956
2	Fall, Unintentional	778
3	Overexertion, Unintentional	719
4	Struck, Unintentional	685
5	Unspecified, Unintentional	582
	Other	1,946
TOTAL		5,666

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 BERTIE		
Rank	Cause	#	
1 2 3 4	MVT, Unintentional Suffocation, Self inflicted Machinery, Unintentional; Cut/pierce,	10 2 1	
5 <b>TOTAL</b>	Other	0 <b>14</b>	

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 BERTIE		
Rank	Cause	#
1	MVT, Unintentional	26
2	Poisoning, Self inflicted	11
3	Unspecified, Unintentional; Struck,	6
4	Natural/Environ, Unintentional	5
	Firearm, Assault; Fall,	
	Unintentional; Cut/pierce, Assault	
5	•	4
	Other	17
TOTAL		89

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 BERTIE	
Rank	Cause	#
1	MVT, Unintentional	320
2	Struck, Unintentional	184
3	Fall, Unintentional	173
4	Overexertion, Unintentional	116
5	Unspecified, Unintentional Other	91 439
TOTAL	<b></b>	1,323

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 BLADEN	
Rank	Cause	#
1	MVT Unintentional	12
•	MVT, Unintentional	13
2	Firearm, Assault	8
3	Poisoning, Unintentional	6
4	Firearm, Self inflicted; Drowning,	1
5		
э	Othor	0
TOTAL	Other	2 <b>9</b>

	AGES 15-34: 2007 to 2009 BLADEN	
Rank	Cause	#
4	MVT Unintentional	<b>5</b> 0
1	MVT, Unintentional	53
2	Poisoning, Self inflicted	15
3	Other spec/class, Unintentional	9
4	Fire/Burn, Unintentional	8
	Other spec/notclass,	
	Unintentional; Cut/pierce, Self	
5	inflicted	7
	Other	62
TOTAL		161

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 BLADEN	
Rank	Cause	#
_		
1	MVT, Unintentional	715
2	Unspecified, Unintentional	430
3	Fall, Unintentional	394
4	Overexertion, Unintentional	365
5	Struck, Unintentional Other	356 1,127
TOTAL	•	3,387

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 BRUNSWICK	
Rank	Cause	#
1	MVT, Unintentional	28
2	Poisoning, Unintentional	23
3	Firearm, Self inflicted; Firearm,	6
4	Suffocation, Self inflicted	4
5	Cut/pierce, Assault	3
	Other	6
TOTAL		76

Lead	ling Causes of Injury Hospitaliza AGES 15-34: 2007 to 2009 BRUNSWICK	tion**
Rank	Cause	#
1	MVT, Unintentional	104
2	Poisoning, Self inflicted	77
3	Other spec/class, Unintentional	33
4	Fall, Unintentional	32
5	Poisoning, Unintentional	30
	Other	136
TOTAL		412

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 BRUNSWICK	
Rank	Cause	#
1	MVT, Unintentional	1,340
2	Fall, Unintentional	1,279
3	Overexertion, Unintentional	1,105
4	Struck, Unintentional	919
5	Unspecified, Unintentional	476
	Other	2,478
TOTAL		7,597

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 BUNCOMBE	
Rank	Cause	#
1	MVT, Unintentional	28
2	Poisoning, Unintentional	24
3	Firearm, Self inflicted	18
4	Suffocation, Self inflicted	6
5	Firearm, Assault	5
	Other	14
TOTAL		95

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 BUNCOMBE		
Rank	Cause	#
1	Poisoning, Self inflicted	150
2	MVT, Unintentional	135
3	Fall, Unintentional	73
4	Cut/pierce, Self inflicted	50
5	Poisoning, Unintentional	43
	Other	269
TOTAL		720

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 BUNCOMBE	
Rank	Cause	#
1	MVT, Unintentional	1,655
	•	,
2	Fall, Unintentional	1,334
3	Struck, Unintentional	565
4	Overexertion, Unintentional	525
5	Struck, Assault	489
	Other	2,489
TOTAL		7,057

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 BURKE	
Rank	Cause	#
1	Poisoning, Unintentional	23
2	MVT, Unintentional	13
3	Suffocation, Self inflicted	7
4	Firearm, Self inflicted; Firearm,	3
5	Poisoning, Self inflicted	2
TOTAL	Other	4 <b>55</b>
	•	33

AGES 15-34: 2007 to 2009  BURKE		
Rank	Cause	#
4	Daisaning Calfinfliated	400
1	Poisoning, Self inflicted	122
2	MVT, Unintentional	73
3	Other spec/class, Unintentional	38
4	Poisoning, Unintentional	35
5	Cut/pierce, Self inflicted	26
	Other	130
TOTAL		424

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 BURKE	f
Rank	Cause	#
1	Fall, Unintentional	1,787
2	MVT, Unintentional	1,560
3	Struck, Unintentional	1,433
4	Overexertion, Unintentional	1,146
5	Cut/pierce, Unintentional	922
	Other	3,763
TOTAL		10,611

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 CABARRUS		
Rank	Cause	#
1	MVT, Unintentional	22
2	Poisoning, Unintentional	17
3	Firearm, Assault	12
4	Suffocation, Self inflicted	7
5	Firearm, Self inflicted	6
	Other	8
TOTAL		72

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 CABARRUS		
Rank	Cause	#
1	MVT, Unintentional	166
2	Poisoning, Self inflicted	120
3	Poisoning, Unintentional	87
4	Other spec/class, Unintentional	48
5	Fall, Unintentional	47
	Other	299
TOTAL		767

Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 CABARRUS		
Rank	Cause	#
1	MVT, Unintentional	2,630
2	Fall, Unintentional	2,172
3	Struck, Unintentional	1,988
4	Overexertion, Unintentional	1,834
5	Unspecified, Unintentional	1,260
	Other	5,081
TOTAL		14,965

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 CALDWELL	
Rank	Cause	#
1	Poisoning, Unintentional	18
2	MVT, Unintentional	11
3	Firearm, Self inflicted	5
4	Poisoning, Self inflicted; Firearm, Suffocation, Unintentional; Suffocation, Self inflicted; Other spec/class, Unintentional; Firearm, Unintentional; Drowning, Unintentional; Drowning, Self	3
5	inflicted	1
TOTAL	Other	0 <b>46</b>

AGES 15-34: 2007 to 2009 CALDWELL		
Rank	Cause	#
1 2 3 4	MVT, Unintentional Poisoning, Self inflicted Fall, Unintentional Other spec/class, Unintentional	83 73 38 23
5 <b>TOTAL</b>	Poisoning, Unintentional Other	22 117 <b>356</b>

AGES 15-34: 2007 to 2009  CALDWELL		
Rank	Cause	#
1 2 3 4	Fall, Unintentional MVT, Unintentional Struck, Unintentional Overexertion, Unintentional	1,486 1,413 1,074 881
5 <b>TOTAL</b>	Cut/pierce, Unintentional Other	625 2,638 <b>8,117</b>

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 CAMDEN		
Rank	Cause	#
1	MVT, Unintentional	2
2 3 4	Fall, Unintentional	1
5 <b>TOTAL</b>	Other	0 <b>3</b>

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 CAMDEN		
Rank	Cause	#
1	Poisoning, Self inflicted; Fall, Unintentional; Cut/pierce, Self inflicted Unspecified, Unintentional; Struck, Unintentional; Poisoning, Unintentional; Other spec/notclass, Unintentional; Natural/Environ, Unintentional; MVT, Unintentional; Cut/pierce,	2
2 3 4	Unintentional	1
5 <b>TOTAL</b>	Other	0 <b>13</b>

Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 CAMDEN		
Rank	Cause	#
	MVT, Unintentional	
1		58
2	Struck, Unintentional	19
3	Fall, Unintentional	18
4	Natural/Environ, Unintentional	10
5	Unspecified, Unintentional; Overexertion, Unintentional Other	9 28
TOTAL		151

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 CARTERET	
Rank	Cause	#
1	MVT, Unintentional	9
2	Poisoning, Unintentional	8
3	Suffocation, Self inflicted	3
4	Unspecified, Assault; Poisoning, Self	2
	Pedal cyclist, other, Unintentional;	1
	Fire/Burn, Unintentional; Drowning,	•
5	Unintentional	
	Other	0
TOTAL		29

	AGES 15-34: 2007 to 2009 CARTERET	
Rank	Cause	#
1	Poisoning, Self inflicted	48
2	MVT, Unintentional	41
3	Fall, Unintentional	18
4	Poisoning, Unintentional	14
5	Other spec/class, Unintentional	13
	Other	68
TOTAL		202

	AGES 15-34: 2007 to 2009 CARTERET	
Rank	Cause	#
1 2 3 4	Fall, Unintentional Overexertion, Unintentional Struck, Unintentional MVT, Unintentional	1,271 1,249 1,096 963
5 <b>TOTAL</b>	Unspecified, Unintentional Other	585 2,553 <b>7,717</b>

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 CASWELL		
Rank	Cause	#
1	MVT, Unintentional	6
2	Poisoning, Unintentional	3
3	Firearm, Self inflicted	2
4	Firearm, Assault	1
5		
	Other	0
TOTAL		12

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 CASWELL		
Rank	Cause	#
	. n . = 11 1	4.0
1	MVT, Unintentional	16
2	Poisoning, Self inflicted	9
3	Fall, Unintentional	6
4	Other spec/class, Unintentional	5
5	Natural/Environ, Unintentional	4
	Other	14
TOTAL		54

AGES 15-34: 2007 to 2009  CASWELL		
Rank	Cause	#
1	MVT. Unintentional	151
2	Fall. Unintentional	142
3	Overexertion, Unintentional	132
4	Struck, Unintentional	124
5	Unspecified, Unintentional	88
	Other	342
TOTAL		979

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 CATAWBA		
Rank	Cause	#
1	MVT, Unintentional	31
2	Poisoning, Unintentional	25
3	Firearm, Assault	13
4	Suffocation, Self inflicted	6
5	Firearm, Self inflicted	4
	Other	11
TOTAL		90

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 CATAWBA		
Rank	Cause	#
1	Poisoning, Self inflicted	171
2	MVT, Unintentional	120
3	Cut/pierce, Self inflicted	45
4	Fall, Unintentional	43
5	Other spec/class, Unintentional	39
	Other	213
TOTAL		631

AGES 15-34: 2007 to 2009  CATAWBA		
Rank	Cause	#
4	MVT Unintentional	0.070
1	MVT, Unintentional	2,872
2	Fall, Unintentional	2,796
3	Struck, Unintentional	2,011
4	Overexertion, Unintentional	1,948
5	Unspecified, Unintentional	1,356
	Other	5,329
TOTAL		16,312

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 CHATHAM	
Rank	Cause	#
1 2 3 4 5	MVT, Unintentional Poisoning, Unintentional; Poisoning, Suffocation, Self inflicted; Firearm, Suffocation, Unintentional; Struck,	15 3 2 1
TOTAL	Other	0 <b>33</b>

	AGES 15-34: 2007 to 2009 CHATHAM	
Rank	Cause	#
1	MVT, Unintentional	54
2	Poisoning, Self inflicted	31
3	Fall, Unintentional	23
4	Other spec/class, Unintentional	12
5	Poisoning, Unintentional;	8
	Other	66
TOTAL		202

AGES 15-34: 2007 to 2009  CHATHAM		
Cause	#	
Fall, Unintentional	383	
MVT, Unintentional	353	
Struck, Unintentional	337	
Overexertion, Unintentional	336	
Cut/pierce, Unintentional	275	
Other	794	
	2,478	
	Fall, Unintentional MVT, Unintentional Struck, Unintentional Overexertion, Unintentional Cut/pierce, Unintentional Other	

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 CHEROKEE	
Rank	Cause	#
1	Poisoning, Unintentional	9
2	MVT, Unintentional	6
3	Firearm, Assault	3
4	Firearm, Self inflicted	2
	Suffocation, Self inflicted; Poisoning,	
	Undetermined; Cut/pierce, Self	
5	inflicted	1
	Other	0
TOTAL	•	23

	AGES 15-34: 2007 to 2009 CHEROKEE	
Rank	Cause	#
1 2 3 4	Poisoning, Unintentional Poisoning, Self inflicted Transport,other, Unintentional Other spec/class, Unintentional;	16 12 8 7
5 <b>TOTAL</b>	MVT, Unintentional Other	6 25 <b>81</b>

	CHEROKEE	
Rank	Cause	#
1 2 3 4	MVT, Unintentional Fall, Unintentional Struck, Unintentional Unspecified, Unintentional; Struck,	229 198 73 66
5 <b>TOTAL</b>	Overexertion, Unintentional Other	44 284 <b>960</b>

Leading Causes of Injury ED Visits\*\*
AGES 15-34: 2007 to 2009

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 CHOWAN	
Rank	Cause	#
1 2 3 4	MVT, Unintentional Poisoning, Unintentional; Firearm,	3 2
5 <b>TOTAL</b>	Other	0 <b>7</b>

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 CHOWAN		
Rank	Cause	#
1 2 3 4	MVT, Unintentional Poisoning, Self inflicted Natural/Environ, Unintentional; Unspecified, Assault; Unspecified, Unintentional; Struck, Assault; Poisoning, Unintentional; Firearm, Unintentional; Firearm, Undetermined; Cut/pierce, Unintentional; Cut/pierce, Assault	9 7 3 2
5 <b>TOTAL</b>	Other	1 0 <b>37</b>

AGES 15-34: 2007 to 2009  CHOWAN		
Rank	Cause	#
1 2 3 4	MVT, Unintentional Struck, Unintentional Overexertion, Unintentional; Fall, Unspecified, Unintentional	180 157 140 115
5 <b>TOTAL</b>	Cut/pierce, Unintentional Other	74 281 <b>1,087</b>

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 CLAY		
Rank	Cause	#
1	MVT, Unintentional Poisoning, Unintentional	3 2
2	T oldoning, orimidational	_
3	Drowning, Unintentional	1
4 5		
TOTAL	Other	0 <b>6</b>

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 CLAY		
Rank	Cause	#
1	Transport,other, Unintentional Poisoning, Self inflicted; MVT,	4
2	Unintentional Natural/Environ, Unintentional;	3
3	Fall, Unintentional Struck, Unintentional; Poisoning, Unintentional; Other spec/class, Unintentional; Firearm, Unintentional; Cut/pierce, Self	2 1
4	inflicted	
5 <b>TOTAL</b>	Other	0 <b>19</b>

Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 CLAY		
Rank	Cause	#
1	MVT, Unintentional	52
2	Fall, Unintentional	50
3	Transport,other, Unintentional	23
4	Overexertion, Unintentional	21
5	Struck, Unintentional Other	19 85
TOTAL	- · · · · ·	250

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 CLEVELAND		
Rank	Cause	#
1 2 3 4 5	MVT, Unintentional Poisoning, Unintentional Firearm, Assault Firearm, Self inflicted Suffocation, Self inflicted	25 10 6 4 2
TOTAL	Other	7 <b>54</b>

	AGES 15-34: 2007 to 2009 CLEVELAND	
Rank	Cause	#
1	MVT, Unintentional	110
2	Poisoning, Self inflicted	81
3	Fall, Unintentional	38
4	Other spec/class, Unintentional	34
5	Poisoning, Unintentional	23
	Other	164
TOTAL		450

	Leading Causes of Injury ED Visits* AGES 15-34: 2007 to 2009 CLEVELAND	*
Rank	Cause	#
1	MVT, Unintentional	2,134
2	Fall, Unintentional	2,012
3	Overexertion, Unintentional	1,883
4	Struck, Unintentional	1,670
5	Cut/pierce, Unintentional	968
	Other	4,439
TOTAL		13,106

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 COLUMBUS		
Rank	Cause	#
1	MVT, Unintentional	19
2	Poisoning, Unintentional; Firearm,	10
3	Transport,other, Unintentional;	2
4	Suffocation, Assault; Struck,	1
5		
	Other	0
TOTAL		50

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 COLUMBUS		
Rank	Cause	#
1	MVT, Unintentional	68
2	Poisoning, Self inflicted	20
3	Other spec/class, Unintentional	16
4	Unspecified, Unintentional;	14
	Natural/Environ, Unintentional;	
5	Fall, Unintentional	12
	Other	84
TOTAL		254

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 COLUMBUS	
Rank	Cause	#
4	MVT Unintentional	4 500
1	MVT, Unintentional	1,560
2	Struck, Unintentional	885
3	Fall, Unintentional	849
4	Overexertion, Unintentional	804
5	Unspecified, Unintentional	474
	Other	2,076
TOTAL		6,648

Leading Causes of Injury Death 2AGES 15-34: 2007 to 2009 CRAVEN		
Rank	Cause	#
1 2 3	MVT, Unintentional Firearm, Assault Poisoning, Unintentional	14 10 7
4	Suffocation, Self inflicted	6
5 <b>TOTAL</b>	Poisoning, Self inflicted Other	4 7 <b>48</b>

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 CRAVEN		
Rank	Cause	#
1	Poisoning, Self inflicted	96
2	MVT, Unintentional	88
3	Fall, Unintentional	59
	Unspecified, Unintentional;	
4	Cut/pierce, Self inflicted	24
	Poisoning, Undetermined; Other	
5	spec/class, Unintentional	20
	Other	169
TOTAL 50		500

Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 CRAVEN		
Rank	Cause	#
1 2 3	Overexertion, Unintentional Fall, Unintentional MVT, Unintentional	1,776 1,597 1,511
4	Struck, Unintentional	1506
5 <b>TOTAL</b>	Unspecified, Unintentional Other	1020 3,660 <b>11,070</b>

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 CUMBERLAND		
Rank	Cause	#
1	MVT, Unintentional	83
2	Firearm, Assault	46
3	Firearm, Self inflicted	29
4	Poisoning, Unintentional	21
5	Suffocation, Self inflicted	9
	Other	33
TOTAL		221

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 CUMBERLAND		
Rank	Cause	#
1	MVT, Unintentional	351
2	Poisoning, Self inflicted	224
3	Fall, Unintentional	113
4	Unspecified, Unintentional	83
5	Other spec/class, Unintentional	79
ĺ	Other	606
TOTAL		1,456

Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 CUMBERLAND		
Rank	Cause	#
1	MVT, Unintentional	4,636
2	Fall, Unintentional	2,311
3	Struck, Unintentional	1,989
4	Unspecified, Unintentional	1,932
5	Overexertion, Unintentional	1,930
	Other	6,589
TOTAL		19,387

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 CURRITUCK		
Rank	Cause	#
1	MVT, Unintentional Poisoning, Self inflicted	12 2
2	Suffocation, Self inflicted; Poisoning,	1
4		
5	Other	0
TOTAL		19

Leading Causes of Injury Hospitalization**  AGES 15-34: 2007 to 2009				
	CURRITUCK			
Rank	Cause	#		
1	Poisoning, Self inflicted	12		
	Unspecified, Unintentional;	3		
	Poisoning, Undetermined; MVT,			
2	Unintentional			
3	Natural/Environ, Unintentional	2		
	Unspecified, Assault; Struck,			
	Unintentional; Poisoning,			
	Unintentional; Other			
	spec/notclass, Unintentional;			
	Firearm, Assault; Fall,			
4	Unintentional	1		
5				
	Other	0		
TOTAL		29		

Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 CURRITUCK		
Rank	Cause	#
1	MVT, Unintentional Fall, Unintentional	89 79
2 3	Overexertion, Unintentional	58
4 5 <b>TOTAL</b>	Struck, Unintentional Cut/pierce, Unintentional Other	55 37 153 <b>471</b>

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 DARE		
Rank	Cause	#
1 2 3	MVT, Unintentional Drowning, Unintentional	3 2
4	Unspecified, Unintentional;	ı
5 <b>TOTAL</b>	Other	0 <b>11</b>

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 DARE		
Rank	Cause	#
1	MVT, Unintentional	7
	Poisoning, Self inflicted; Fall,	5
2	Unintentional	
3	Transport,other, Unintentional;	3
	Poisoning, Undetermined; Pedal	
4	cyclist,other, Unintentional	2
	Struck, Unintentional; Other	
	spec/notclass, Self inflicted; Other	
	spec/notclass, Assault; Other	
	spec/class, Assault; Fire/Burn,	
5	Unintentional	1
	Other	0
TOTAL		32

	AGES 15-34: 2007 to 2009 DARE	
Rank	Cause	#
1	Fall, Unintentional	324
2 3	Struck, Unintentional MVT, Unintentional	270 257
4	Overexertion, Unintentional	232
5	Cut/pierce, Unintentional Other	218 655
TOTAL	•	1,956

Rank	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 DAVIDSON Cause	#
1 2 3 4 5	MVT, Unintentional Poisoning, Unintentional Suffocation, Self inflicted Firearm, Assault Firearm, Self inflicted Other	36 31 9 6 5
TOTAL	Other	100

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 DAVIDSON		
Rank	Cause	#
4	MVT Unintentional	440
1	MVT, Unintentional	118
2	Poisoning, Self inflicted	65
3	Fall, Unintentional	45
4	Poisoning, Unintentional	31
5	Unspecified, Unintentional	22
	Other	166
TOTAL		447

	AGES 15-34: 2007 to 2009 DAVIDSON	
Rank	Cause	#
1	Fall, Unintentional	2,541
2	Overexertion, Unintentional	2,131
3	MVT, Unintentional	2,018
4	Struck, Unintentional	1,947
5	Unspecified, Unintentional	1,084
	Other	4,903
TOTAL		14,624

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 DAVIE		
Rank	Cause	#
1	Poisoning, Unintentional	8
2	MVT, Unintentional	6
3	Unspecified, Assault; Suffocation,	2
4	Unspecified, Self inflicted; Other land	1
5	Other	0
<b>TOTA</b> L		<b>23</b>

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 DAVIE		
Rank	Cause	#
4	MAVIT I I de la collège de la	00
1	MVT, Unintentional	26
2	Poisoning, Self inflicted	23
3	Fall, Unintentional	11
4	Poisoning, Undetermined;	7
	Poisoning, Unintentional; Other	
	spec/class, Unintentional;	
5	Cut/pierce, Self inflicted	5
	Other	25
TOTAL	•	114
IOIAL	•	114

	AGES 15-34: 2007 to 2009 DAVIE	
Rank	Cause	#
1	MVT, Unintentional	354
2	Fall, Unintentional	298
3	Struck, Unintentional	210
4	Overexertion, Unintentional	188
5	Unspecified, Unintentional	144
Ü	Other	511
TOTAL		1,705

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 DUPLIN	
Rank	Cause	#
1 2	MVT, Unintentional Firearm, Assault Firearm, Self inflicted	21 7 4
3 4	Cut/pierce, Assault Unspecified, Unintentional; Suffocation, Assault; Poisoning, Unintentional; Poisoning, Undetermined; Poisoning, Self inflicted; Other spec/NEC,	2
5 <b>TOTAL</b>	Undetermined; Firearm, Unintentional Other	1 0 <b>41</b>

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 DUPLIN		
Rank	Cause	#
1 2	MVT, Unintentional Poisoning, Self inflicted Unspecified, Unintentional; Struck, Assault; Fall, Unintentional	68 29 12
4	Fire/Burn, Unintentional	10
5 <b>TOTAL</b>	Transport,other, Unintentional; Struck, Unintentional Other	9 64 <b>225</b>

Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 DUPLIN		
Rank	Cause	#
1 2	MVT, Unintentional Fall, Unintentional Overexertion, Unintentional	992 536 463
3 4	Unspecified, Unintentional	431
5 <b>TOTAL</b>	Struck, Unintentional Other	398 1,397 <b>4,217</b>

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 DURHAM		
Rank	Cause	#
1	Firearm, Assault	34
2	MVT, Unintentional	29
3	Poisoning, Unintentional	20
4	Cut/pierce, Assault	9
5	Firearm, Self inflicted	7
	Other	27
TOTAL		126

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 DURHAM		
Rank	Cause	#
1	MVT, Unintentional	197
2	Poisoning, Self inflicted	158
3	Firearm, Assault	91
4	Fall, Unintentional	90
5	Poisoning, Unintentional	52
	Other	453
TOTAL		1,041

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 DURHAM	
Rank	Cause	#
1	MVT, Unintentional	3,981
2	Overexertion, Unintentional	2,569
3	Struck, Unintentional	2,226
4	Fall, Unintentional	2,193
5	Cut/pierce, Unintentional	1,658
	Other	6,118
TOTAL		18,745

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 EDGECOMBE	
Rank	Cause	#
1	MVT, Unintentional	11
2	Firearm, Assault	8
3	Poisoning, Unintentional; Firearm,	3
4	Unspecified, Unintentional;	1
5	·	
	Other	0
TOTAL		28

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 EDGECOMBE			
Rank	Cause	#	
1	MVT, Unintentional	61	
2	Firearm, Assault	26	
3	Poisoning, Self inflicted	25	
4	Cut/pierce, Self inflicted	14	
5	Fall, Unintentional	13	
	Other	107	
TOTAL	TOTAL 246		

AGES 15-34: 2007 to 2009  EDGECOMBE		
Rank	Cause	#
1	MVT, Unintentional	612
2	Fall, Unintentional	334
3	Struck, Unintentional	306
4	Overexertion, Unintentional	259
5	Unspecified, Unintentional	221
	Other	1,035
TOTAL		2,767

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 FORSYTH	
Rank	Cause	#
1	MVT, Unintentional	50
2	Poisoning, Unintentional	29
3	Firearm, Assault	25
4	Firearm, Self inflicted	14
5	Suffocation, Self inflicted	9
	Other	35
TOTAL		162

	AGES 15-34: 2007 to 2009 FORSYTH	
Rank	Cause	#
1	MVT, Unintentional	309
2	Poisoning, Self inflicted	275
3	Fall, Unintentional	147
4	Poisoning, Unintentional	71
5	Other spec/class, Unintentional	70
	Other	556
TOTAL		1,428

Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 FORSYTH		
Rank	Cause	#
1	MVT, Unintentional	4,843
2	Fall, Unintentional	4,064
3	Struck, Unintentional	3,601
4	Overexertion, Unintentional	3,151
5	Unspecified, Unintentional	2,485
	Other	8,604
TOTAL		26,748

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 FRANKLIN	
Rank	Cause	#
1	MVT, Unintentional	11
2	Poisoning, Unintentional	5
3	Firearm, Assault	3
4	Firearm, Self inflicted	2
	Unspecified, Assault; Suffocation, Self inflicted; Struck, Unintentional; Poisoning, Undetermined; Other land transport, Self inflicted;	
5	Drowning, Unintentional	1
TOTAL	Other	<b>27</b>

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 FRANKLIN		
Rank	Cause	#
1 2 3 4	MVT, Unintentional Poisoning, Self inflicted Other spec/class, Unintentional Fall, Unintentional	62 20 17 16
5 <b>TOTAL</b>	Transport,other, Unintentional Other	15 93 <b>223</b>

	AGES 15-34: 2007 to 2009 FRANKLIN	
Rank	Cause	#
1 2 3 4	MVT, Unintentional Fall, Unintentional Struck, Unintentional Overexertion, Unintentional	702 490 454 443
5 <b>TOTAL</b>	Unspecified, Unintentional Other	292 1,140 <b>3,521</b>

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 GASTON	
Rank	Cause	#
1	MVT, Unintentional	46
2	Poisoning, Unintentional	39
3	Firearm, Assault	15
4	Firearm, Self inflicted	14
5	Suffocation, Self inflicted	10
	Other	16
TOTAL		140

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 GASTON		
Rank	Cause	#
1	Poisoning, Self inflicted	232
2	MVT, Unintentional	202
3	Fall, Unintentional	81
4	Other spec/class, Unintentional	70
5	Poisoning, Unintentional	66
	Other	359
TOTAL		1,010

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 GASTON	
Rank	Cause	#
1	Call Unintentional	2.004
1	Fall, Unintentional	2,004
2	MVT, Unintentional	1,830
3	Overexertion, Unintentional	1,570
4	Struck, Unintentional	1,401
5	Unspecified, Unintentional	976
	Other	4,094
TOTAL	•	11,875

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 GATES	
Rank	Cause	#
1 2	MVT, Unintentional Firearm, Self inflicted; Firearm,	3 1
3 4 5	Other	0
TOTAL		5

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 GATES		
Rank	Cause	#
		_
1	MVT, Unintentional	3
2	Unspecified, Unintentional; Struck, Unintentional; Struck, Assault; Poisoning, Self inflicted;	2
3	Fall, Unintentional	1
4		
5		
	Other	0
TOTAL		13

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 GATES	
Rank	Cause	#
1	MVT, Unintentional	56
2	Fall, Unintentional	40
3	Struck, Unintentional	37
4	Overexertion, Unintentional	23
5	Cut/pierce, Unintentional	16
	Other	71
TOTAL		243

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 GRAHAM	
Rank	Cause	#
1 2 3 4	MVT, Unintentional; Firearm, Self	1
5 <b>TOTAL</b>	Other	0 <b>2</b>

AGES 15-34: 2007 to 2009 GRAHAM		
Rank	Cause	#
1 2 3 4	MVT, Unintentional Poisoning, Unintentional Poisoning, Self inflicted Unspecified, Unintentional; Struck, Other spec/notclass, Unintentional; Other spec/notclass, Assault; Other	6 5 4 2
5 <b>TOTAL</b>	spec/class, Unintentional; Fire/Burn, Unintentional; Cut/pierce, Self inflicted Other	1 0 <b>28</b>

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 GRAHAM	
Rank	Cause	#
1 2 3 4	Fall, Unintentional Struck, Unintentional MVT, Unintentional Overexertion, Unintentional	148 81 80 73
5 <b>TOTAL</b>	Struck, Assault Other	51 258 <b>691</b>

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 GRANVILLE	
Rank	Cause	#
1	MVT, Unintentional	14
2	Suffocation, Self inflicted	4
3	Poisoning, Unintentional	2
4	Other land transport, Unintentional;	1
5		
	Other	0
TOTAL		25

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 GRANVILLE		
Rank	Cause	#
1	MVT, Unintentional	49
2	Poisoning, Self inflicted	26
3	Fall, Unintentional	22
4	Other spec/class, Unintentional	14
5	Struck, Unintentional	8
	Other	60
TOTAL		179

	AGES 15-34: 2007 to 2009  GRANVILLE	
Rank	Cause	#
4	MACT Heisters Court	7.10
1	MVT, Unintentional	743
2	Overexertion, Unintentional	710
3	Fall, Unintentional	686
4	Struck, Unintentional	613
5	Cut/pierce, Unintentional	334
	Other	1,372
TOTAL		4,458

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 GREENE	
Rank	Cause	#
1 2 3	MVT, Unintentional Unspecified, Assault; Poisoning, Other land transport, Unintentional;	6 2 1
4 5 <b>TOTAL</b>	Other	0 <b>15</b>

AGES 15-34: 2007 to 2009  GREENE		
Rank	Cause	#
1	MVT, Unintentional	22
2	Poisoning, Self inflicted; Other	8
3	Fall, Unintentional	6
	Poisoning, Undetermined;	
4	Cut/pierce, Self inflicted	4
5	Cut/pierce, Unintentional	3
	Other	20
TOTAL	•	75

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 GREENE	
Rank	Cause	#
1 2 3	MVT, Unintentional Fall, Unintentional Overexertion, Unintentional	260 183 155
4 5 <b>TOTAL</b>	Struck, Unintentional Cut/pierce, Unintentional Other	148 78 416 <b>1,240</b>

	AGES 15-34: 2007 to 2009 GUILFORD	
Rank	Cause	#
1	MVT, Unintentional	75
2	Firearm, Assault	54
3	Poisoning, Unintentional	29
4	Firearm, Self inflicted	19
5	Suffocation, Self inflicted	16
	Other	33
TOTAL		226

	AGES 15-34: 2007 to 2009 GUILFORD	
Rank	Cause	#
_	D : O !! : !! !	507
1	Poisoning, Self inflicted	527
2	MVT, Unintentional	424
3	Fall, Unintentional	186
4	Cut/pierce, Self inflicted	112
5	Firearm, Assault	105
	Other	898
TOTAL		2,252

	AGES 15-34: 2007 to 2009 GUILFORD	
Rank	Cause	#
1	MVT, Unintentional	3,236
2	Fall, Unintentional	2,523
3	Struck, Unintentional	1,760
4	Unspecified, Unintentional	1,538
5	Overexertion, Unintentional	1,383
	Other	6,763
TOTAL		17,203

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 HALIFAX	
Rank	Cause	#
1	MVT, Unintentional	20
2	Firearm, Assault	8
3	Firearm, Self inflicted	4
4	Poisoning, Unintentional; Fire/Burn,	2
	Unspecified, Assault; Suffocation,	
	Self inflicted; Other spec/class,	
	Unintentional; Other spec/NEC,	
	Unintentional; Other spec/NEC,	
5	Assault	1
	Other	0
TOTAL		43

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 HALIFAX		
Rank	Cause	#
1 2 3 4	Poisoning, Self inflicted MVT, Unintentional Cut/pierce, Self inflicted Fall, Unintentional	94 59 23 14
5 <b>TOTAL</b>	Firearm, Assault Other	12 101 <b>303</b>

	AGES 15-34: 2007 to 2009  HALIFAX	
Rank	Cause	#
1 2 3 4	MVT, Unintentional Fall, Unintentional Unspecified, Unintentional Struck, Unintentional Struck, Assault	1,125 835 657 557
5 <b>TOTAL</b>	Other	466 2,290 <b>5,930</b>

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 HARNETT	
Rank	Cause	#
1 2 3	MVT, Unintentional Firearm, Assault Poisoning, Unintentional	38 9 8
4 5	Firearm, Self inflicted Unspecified, Unintentional; Pedestrian,other, Unintentional; Drowning, Unintentional	5 2
TOTAL	Other	7 <b>73</b>

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 HARNETT		
Rank	Cause	#
1 2 3 4	MVT, Unintentional Poisoning, Self inflicted Other spec/class, Unintentional Fall, Unintentional	103 58 35 34
5 <b>TOTAL</b>	Poisoning, Unintentional Other	26 188 <b>444</b>

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 HARNETT	
Rank	Cause	#
1	MVT, Unintentional	1,739
2	Fall, Unintentional	1,212
3	Struck, Unintentional	998
4	Unspecified, Unintentional	832
5	Overexertion, Unintentional Other	826 2,949
TOTAL		8,556

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 HAYWOOD	
Rank	Cause	#
1	MVT, Unintentional	11
2	Poisoning, Unintentional	8
3	Firearm, Self inflicted	3
4	Suffocation, Self inflicted	2
	Suffocation, Unintentional; Firearm,	
5	Assault; Fall, Unintentional	1
	Other	0
TOTAL		27

Lead	Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 HAYWOOD		
Rank	Cause	#	
1 2 3 4	MVT, Unintentional Poisoning, Self inflicted Fall, Unintentional Other spec/class, Unintentional	36 35 24 13	
5 <b>TOTAL</b>	Poisoning, Undetermined Other	12 70 <b>190</b>	

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 HAYWOOD	
Rank	Cause	#
1 2 3 4	Fall, Unintentional MVT, Unintentional Overexertion, Unintentional Unspecified, Unintentional Struck, Unintentional	1,150 797 715 709
5 <b>TOTAL</b>	Other	707 2,158 <b>6,236</b>

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 HENDERSON	
Rank	Cause	#
1	Poisoning, Unintentional	12
2	MVT, Unintentional	10
3	Firearm, Self inflicted	5
4	Drowning, Unintentional	4
5	Poisoning, Self inflicted	3
	Other	7
TOTAL		41

	AGES 15-34: 2007 to 2009 HENDERSON	
Rank	Cause	#
1	Poisoning, Self inflicted	112
2	MVT, Unintentional	72
3	Fall, Unintentional	38
4	Poisoning, Unintentional	32
5	Cut/pierce, Self inflicted	28
	Other	130
TOTAL		412

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 HENDERSON	
Rank	Cause	#
1	Fall, Unintentional	988
2	MVT, Unintentional	986
3	Overexertion, Unintentional	491
4	Struck, Unintentional	485
5	Unspecified, Unintentional	374
	Other	1,599
TOTAL		4,923

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 HERTFORD	
Rank	Cause	#
1 2 3 4	MVT, Unintentional Firearm, Assault Poisoning, Unintentional; Poisoning,	9 3 1
5 <b>TOTAL</b>	Other	0 <b>15</b>

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 HERTFORD		
Rank	Cause	#
1	MVT, Unintentional	25
2	Poisoning, Self inflicted	14
3	Unspecified, Unintentional	10
4	Fire/Burn, Unintentional; Fall, Poisoning, Unintentional;	5
5	Cut/pierce, Assault Other	4 18
TOTAL		85

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 HERTFORD	
Rank	Cause	#
_		100
1	MVT, Unintentional	423
2	Struck, Unintentional; Fall,	241
3	Overexertion, Unintentional	173
4	Cut/pierce, Unintentional	122
5	Struck, Assault	109
	Other	378
TOTAL		1,687

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 HOKE	
Rank	Cause	#
1	MA/T. Unintention of	47
1	MVT, Unintentional	17
2	Firearm, Assault	7
3	Poisoning, Unintentional	2
4	Suffocation, Unintentional;	1
5		
	Other	0
TOTAL		30

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 HOKE		
Rank	Cause	#
1	MVT, Unintentional	35
2	Poisoning, Self inflicted	19
3	Other spec/class, Unintentional	12
4	Fall, Unintentional	10
5	Firearm, Assault	9
	Other	50
TOTAL		135

	Leading Causes of Injury ED Visits AGES 15-34: 2007 to 2009 HOKE	S**
Rank	Cause	#
1	MVT, Unintentional	584
2	Fall, Unintentional	249
3	Overexertion, Unintentional	214
4	Struck, Unintentional	210
5	Unspecified, Unintentional	152
	Other	702
TOTAL		2,111

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 HYDE	
Rank	Cause	#
1	Poisoning, Unintentional; MVT,	1
2		
3		
4		
5		
	Other	0
TOTAL		2

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 HYDE		
Rank	Cause	#
1	Poisoning, Self inflicted	3
2	MVT, Unintentional; Fall,	2
3	Unspecified, Unintentional	1
4		
5		
	Other	0
TOTAL		8

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 HYDE	r
Rank	Cause	#
1	Fall, Unintentional	61
2	Struck, Unintentional; MVT,	57
3	Unspecified, Unintentional	49
4	Overexertion, Unintentional	33
5	Cut/pierce, Unintentional	29
	Other	86
TOTAL		372

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 IREDELL	
Rank	Cause	#
1	MVT, Unintentional	32
2	Poisoning, Unintentional	27
3	Firearm, Assault	12
4	Suffocation, Self inflicted; Firearm,	4
5	Poisoning, Self inflicted	2
	Other	11
TOTAL		92

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 IREDELL		
Rank	Cause	#
1	MVT, Unintentional	145
2	Poisoning, Self inflicted	126
3	Poisoning, Unintentional	67
4	Fall, Unintentional	54
5	Other spec/class, Unintentional	49
	Other	259
TOTAL		700

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 IREDELL	•
Rank	Cause	#
1	MVT, Unintentional	2,580
2	Fall, Unintentional	2,244
3	Struck, Unintentional	2,139
4	Overexertion, Unintentional	2,097
5	Cut/pierce, Unintentional	1,039
	Other	4,735
TOTAL		14,834

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 JACKSON	
Rank	Cause	#
1	Poisoning, Unintentional	7
2	MVT, Unintentional	6
3	Firearm, Self inflicted; Drowning,	2
4	Suffocation, Unintentional;	1
5		
	Other	0
TOTAL		23

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 JACKSON		
Cause	#	
MVT, Unintentional	22	
Poisoning, Self inflicted	17	
Fall, Unintentional	16	
Poisoning, Unintentional	13	
Cut/pierce, Unintentional;	7	
Other	34	
	116	
	AGES 15-34: 2007 to 2009 JACKSON  Cause  MVT, Unintentional Poisoning, Self inflicted Fall, Unintentional Poisoning, Unintentional Cut/pierce, Unintentional;	

	AGES 15-34: 2007 to 2009  JACKSON	
Rank	Cause	#
1	Fall, Unintentional	702
2	MVT, Unintentional	463
3	Struck, Unintentional	457
4	Overexertion, Unintentional	456
5	Cut/pierce, Unintentional	348
	Other	1,188
TOTAL		3,614

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 JOHNSTON	
Rank	Cause	#
1	MVT, Unintentional	53
2	Firearm, Self inflicted	11
3	Poisoning, Unintentional	8
4	Firearm, Assault	7
5	Pedestrian, other, Unintentional	3
	Other	9
TOTAL		91

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 JOHNSTON		
Rank	Cause	#
1	MVT, Unintentional	160
2	Poisoning, Self inflicted	119
3	Other spec/class, Unintentional	54
4	Fall, Unintentional	45
5	Poisoning, Unintentional	44
	Other	272
TOTAL	•	694

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 JOHNSTON	
Rank	Cause	#
1	MVT, Unintentional	2,171
2	Fall, Unintentional	1,905
3	Unspecified, Unintentional;	1,729
4	Struck, Unintentional	1,545
5	Cut/pierce, Unintentional	909
	Other	3,332
TOTAL	•	13,320

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 JONES	
Rank	Cause	#
1 2 3 4	MVT, Unintentional Unspecified, Unintentional;	3
5 <b>TOTAL</b>	Other	0 <b>5</b>

Leading Causes of Injury Hospitalization**  AGES 15-34: 2007 to 2009  JONES		
Rank	Cause	#
1	MVT, Unintentional	18
2	Other spec/class, Unintentional	7
3	Poisoning, Self inflicted Fire/Burn, Unintentional; Fall,	5
4	Unintentional Transport,other, Unintentional; Poisoning, Undetermined; Other spec/notclass, Unintentional; Natural/Environ, Unintentional; Cut/pierce, Self inflicted;	3
5	Cut/pierce, Assault Other	2 7
TOTAL		55

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 JONES	
Rank	Cause	#
1	MVT, Unintentional	175
2	Overexertion, Unintentional	119
3	Fall, Unintentional	115
		114
4	Struck, Unintentional	
5	Unspecified, Unintentional Other	84 297
TOTAL	- · · · · ·	904

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 LEE			
Rank	Cause	#	
4	E'	4.4	
1	Firearm, Assault	11	
2	MVT, Unintentional	9	
3	Cut/pierce, Assault	4	
4	Poisoning, Unintentional; Poisoning,	3	
_	Other spec/class, Unintentional;	2	
5	Firearm, Self inflicted		
	Other	6	
TOTAL		40	

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 LEE		
Rank	Cause	#
1 2 3 4	MVT, Unintentional Poisoning, Self inflicted Firearm, Assault Fall. Unintentional	74 33 18
5 <b>TOTAL</b>	Other spec/class, Unintentional Other	16 107 <b>265</b>

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 LEE	
Rank	Cause	#
1	MVT, Unintentional	1,184
2	Fall, Unintentional	594
3	Struck, Unintentional	440
4	Unspecified, Unintentional	431
5	Overexertion, Unintentional Other	368 1,595
TOTAL	••	4,612

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 LENOIR		
Rank	Cause	#
1 2 3 4 5	MVT, Unintentional Firearm, Assault Suffocation, Self inflicted; Poisoning, Unspecified, Unintentional;	8 4 2 1
o TOTAL	Other	0 <b>24</b>

AGES 15-34: 2007 to 2009  LENOIR			
Rank	Cause	#	
1	MVT Unintentional	60	
•	MVT, Unintentional	68	
2	Poisoning, Self inflicted	47	
3	Fall, Unintentional	20	
4	Poisoning, Unintentional	17	
5	Struck, Assault	14	
	Other	115	
TOTAL		281	

Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 LENOIR			
Rank	Cause	#	
1	MVT, Unintentional	1,008	
2	Overexertion, Unintentional	987	
3	Fall, Unintentional	764	
4	Struck, Unintentional	636	
5	Unspecified, Unintentional	498	
	Other	1,922	
TOTAL		5,815	

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 LINCOLN			
Rank	Cause	#	
1 2 3 4	MVT, Unintentional Poisoning, Unintentional Firearm, Assault Other land transport, Unintentional; Suffocation, Undetermined; Suffocation, Self inflicted; Poisoning, Self inflicted; Other spec/class, Unintentional; Drowning, Unintentional; Cut/pierce,	20 7 3 2	
5 <b>TOTAL</b>	Unintentional; Cut/pierce, Assault Other	1 0 <b>41</b>	

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 LINCOLN		
Rank	Cause	#
1 2 3 4	Poisoning, Self inflicted MVT, Unintentional Fall, Unintentional Transport,other, Unintentional	82 78 35 26
5 <b>TOTAL</b>	Other spec/class, Unintentional Other	25 97 <b>343</b>

AGES 15-34: 2007 to 2009 LINCOLN			
Rank	Cause	#	
1 2 3 4	Overexertion, Unintentional MVT, Unintentional Fall, Unintentional Struck, Unintentional	1,444 1,424 1,397 1,185	
5 <b>TOTAL</b>	Cut/pierce, Unintentional Other	666 2,608 <b>8,724</b>	

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 McDOWELL	
Rank	Cause	#
1	MVT, Unintentional	11
2	Poisoning, Unintentional	7
3	Suffocation, Self inflicted; Firearm,	3
4	Firearm, Assault; Cut/pierce, Assault	2
	Unspecified, Self inflicted; Poisoning,	
	Self inflicted; Drowning,	
5	Unintentional	1
	Other	0
TOTAL		31

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 McDOWELL			
Rank	Cause	#	
1	Deigening Calf inflicted	44	
2	Poisoning, Self inflicted MVT, Unintentional	44 40	
3	•	40 27	
	Fall, Unintentional		
4	Poisoning, Unintentional	21	
5	Other spec/class, Unintentional	16	
	Other	35	
TOTAL	•	183	

AGES 15-34: 2007 to 2009 McDOWELL		
Rank	Cause	#
1 2 3 4	MVT, Unintentional Fall, Unintentional Struck, Assault Struck, Unintentional	576 498 256 225
5 <b>TOTAL</b>	Overexertion, Unintentional Other	217 779 <b>2,551</b>

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 MACON		
Rank	Cause	#
1	MVT, Unintentional	6
2	Poisoning, Unintentional	5
3	Firearm, Self inflicted	2
4	Poisoning, Self inflicted; Firearm,	1
5	-	
	Other	0
TOTAL		16

Leading Causes of Injury Hospitalization**  AGES 15-34: 2007 to 2009  MACON		
Rank	Cause	#
1	MVT, Unintentional Poisoning, Self inflicted; Fall,	14
2	Unintentional	11
3	Poisoning, Unintentional	7
4	Poisoning, Undetermined; Other	6
5	Transport,other, Unintentional	5
	Other	16
TOTAL		76

Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 MACON		
Rank	Cause	#
1	Fall, Unintentional	501
2	Struck, Unintentional	387
3	MVT, Unintentional	348
4	Overexertion, Unintentional	332
5	Cut/pierce, Unintentional	321
	Other	963
TOTAL	•	2,852

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 MADISON	
Cause	#
MV/T Unintentional	E
•	5 3
•	-
Firearm, Self inflicted	2
Suffocation, Self inflicted; Poisoning,	1
<b>5</b>	0 <b>13</b>
	AGES 15-34: 2007 to 2009 MADISON  Cause  MVT, Unintentional Poisoning, Unintentional Firearm, Self inflicted

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 MADISON		
Rank	Cause	#
1	MVT Unintentional	18
•	MVT, Unintentional	. •
2	Poisoning, Self inflicted	11
3	Other spec/class, Unintentional	7
4	Transport, other, Unintentional	6
	Poisoning, Unintentional;	
5	Cut/pierce, Self inflicted	5
	Other	21
TOTAL		73

Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 MADISON		
Rank	Cause	#
1	MVT Unintentional	134
•	MVT, Unintentional	
2	Fall, Unintentional	82
3	Struck, Unintentional	38
4	Overexertion, Unintentional	37
5	Transport,other, Unintentional	34
	Other	188
TOTAL		513

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 MARTIN		
Rank	Cause	#
1 2 3 4	MVT, Unintentional; Firearm, Self Drowning, Unintentional Poisoning, Self inflicted; Firearm,	3 2 1
5 <b>TOTAL</b>	Other -	0 <b>12</b>

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 MARTIN		
Rank	Cause	#
1	MVT, Unintentional	29
2	Poisoning, Self inflicted	17
3	Fall, Unintentional	5
4	Poisoning, Undetermined Unspecified, Unintentional; Transport,other, Unintentional; Struck, Assault; Poisoning, Unintentional; Firearm, Unintentional; Firearm, Assault;	4
5 <b>TOTAL</b>	Cut/pierce, Assault Other	3 15 <b>91</b>

Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 MARTIN		
Rank	Cause	#
1 2 3 4	MVT, Unintentional Unspecified, Unintentional; Fall, Struck, Unintentional Overexertion, Unintentional	262 158 140 95
5 <b>TOTAL</b>	Cut/pierce, Unintentional Other	77 343 <b>1,233</b>

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 MECKLENBURG		
Rank	Cause	#
1	Firearm, Assault	123
2	MVT, Unintentional	112
3	Poisoning, Unintentional	43
4	Firearm, Self inflicted	38
5	Suffocation, Self inflicted	16
	Other	70
TOTAL		402

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 MECKLENBURG		
Rank	Cause	#
1	MVT, Unintentional	626
2	Poisoning, Self inflicted	491
3	Fall, Unintentional	298
4	Firearm, Assault	207
5	Other spec/class, Unintentional	170
	Other	1,130
TOTAL		2,922

Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 MECKLENBURG		
Rank	Cause	#
1	MVT, Unintentional	13,003
2	Fall, Unintentional	8,311
3	Struck, Unintentional	7,388
4	Unspecified, Unintentional	6,574
5	Overexertion, Unintentional	5,761
	Other	20,599
TOTAL		61,636

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 MITCHELL		
Rank	Cause	#
1	Poisoning, Unintentional	5
2	Firearm, Self inflicted Suffocation, Unintentional; Firearm,	3 1
4		
5		
TOTAL	Other -	0 <b>11</b>

Leading Causes of Injury Hospitalization**			
AGES 15-34: 2007 to 2009			
	MITCHELL		
Rank	Cause	#	
	Other analysis I Inintentional		
<b>i</b> ,	Other spec/class, Unintentional;	40	
1	MVT, Unintentional	10	
	Poisoning, Unintentional;		
2	Poisoning, Self inflicted	9	
3	Fall, Unintentional	5	
	Poisoning, Undetermined;		
4	Overexertion, Unintentional	2	
	Unspecified, Self inflicted;		
	Suffocation, Unintentional; Struck,		
	Unintentional; Struck, Assault;		
	Natural/Environ, Unintentional;		
	Machinery, Unintentional; Firearm,		
	• .		
	Unintentional; Fire/Burn,		
	Unintentional; Cut/pierce, Self		
	inflicted		
5		1	
	Other	0	
TOTAL	•	56	

	AGES 15-34: 2007 to 2009 MITCHELL	
Rank	Cause	#
1	MVT, Unintentional	168
2	Fall, Unintentional Struck, Unintentional	146 47
4	Overexertion, Unintentional	42
5 <b>TOTAL</b>	Struck, Assault Other	41 246 <b>690</b>
TOTAL	•	690

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 MONTGOMERY	
Rank	Cause	#
1	MVT, Unintentional	9
	•	-
2	Firearm, Assault	4
3	Poisoning, Unintentional	2
4	Suffocation, Self inflicted; Machinery,	1
5	•	
	Other	0
TOTAL		20

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 MONTGOMERY		
Rank	Cause	#
1	MVT, Unintentional	28
2	Poisoning, Self inflicted	12
3	Transport,other, Unintentional	9
4	Fall, Unintentional	8
5	Cut/pierce, Self inflicted	6
	Other	42
TOTAL		105

	AGES 15-34: 2007 to 2009 MONTGOMERY	
Rank	Cause	#
1	MVT, Unintentional	247
2	Fall, Unintentional	242
3	Overexertion, Unintentional	211
4	Struck, Unintentional	208
5	Cut/pierce, Unintentional	153
	Other	508
TOTAL		1,569

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 MOORE		
Rank	Cause	#
1	MVT, Unintentional	22
2	Firearm, Assault	6
3	Firearm, Self inflicted	5
	B	
4	Poisoning, Unintentional	4
5	Suffocation, Self inflicted	2
	Other	4
TOTAL	•	43

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 MOORE		
Rank	Cause	#
1	MVT, Unintentional	117
2	Poisoning, Self inflicted	78
3	Fall, Unintentional	29
	Poisoning, Unintentional;	
4	Cut/pierce, Self inflicted	23
5	Other spec/class, Unintentional	18
	Other	118
TOTAL		406

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 MOORE	
Rank	Cause	#
1	MVT Unintentional	1 071
•	MVT, Unintentional	1,371
2	Fall, Unintentional	750
3	Overexertion, Unintentional	603
4	Struck, Unintentional	566
5	Cut/pierce, Unintentional	328
	Other	1,498
TOTAL		5,116

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 NASH	
Rank	Cause	#
1	MVT, Unintentional; Firearm, Assault	16
2	Poisoning, Unintentional	5
3	Firearm, Self inflicted	4
4	Suffocation, Self inflicted	3
5	Drowning, Unintentional	2
	Other	6
TOTAL		52

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 NASH		
Rank	Cause	#
1	MVT, Unintentional	104
2	Poisoning, Self inflicted	49
3	Cut/pierce, Self inflicted	30
4	Fall, Unintentional	27
5	Firearm, Assault	24
TOTAL	Other	163 <b>397</b>

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 NASH	
Rank	Cause	#
1	MVT, Unintentional	631
2	Fall, Unintentional	359
3	Overexertion, Unintentional	356
4	Struck, Unintentional	265
5	Unspecified, Unintentional	240
	Other	959
TOTAL		2,810

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 NEW HANOVER	
Rank	Cause	#
1	Deigening Unintentional	35
	Poisoning, Unintentional	
2	MVT, Unintentional	31
3	Firearm, Assault	20
4	Firearm, Self inflicted	8
5	Suffocation, Self inflicted	5
	Other	15
TOTAL		114

	AGES 15-34: 2007 to 2009 NEW HANOVER	
Rank	Cause	#
1	Poisoning, Self inflicted	163
2	MVT, Unintentional	160
3	Fall, Unintentional	64
4	Cut/pierce, Self inflicted	44
5	Unspecified, Unintentional	42
	Other	304
TOTAL		777

	AGES 15-34: 2007 to 2009 NEW HANOVER	
Rank	Cause	#
1	MVT, Unintentional	3,440
2	Fall, Unintentional	2,602
3	Overexertion, Unintentional	1,866
4	Struck, Unintentional	1,849
5	Cut/pierce, Unintentional	1,383
	Other	5,615
TOTAL		16,755

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 NORTHAMPTON		
Rank	Cause	#
1	MVT, Unintentional	14
2	Firearm, Assault	4
3	Firearm, Unintentional; Firearm, Self	2
4		
5		
	Other	0
TOTAL		24

Lead	ling Causes of Injury Hospitalizat AGES 15-34: 2007 to 2009 NORTHAMPTON	ion**
Rank	Cause	#
1	MVT, Unintentional	34
2	Poisoning, Self inflicted	11
3	Fall, Unintentional	7
4	Transport,other, Unintentional	6
5	Firearm, Assault	5
	Other	37
TOTAL	•	100

	AGES 15-34: 2007 to 2009  NORTHAMPTON	
Rank	Cause	#
1	MVT Unintentional	396
•	MVT, Unintentional	
2	Fall, Unintentional	234
3	Struck, Unintentional	210
4	Unspecified, Unintentional	164
5	Overexertion, Unintentional	161
	Other	660
TOTAL		1,825

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 ONSLOW	
Rank	Cause	#
1	MVT, Unintentional	55
2	Poisoning, Unintentional; Firearm,	20
3	Firearm, Assault	10
4	Suffocation, Self inflicted	9
	Other land transport, Unintentional;	
5	Cut/pierce, Assault	3
	Other	13
TOTAL		133

AGES 15-34: 2007 to 2009  ONSLOW		
Rank	Cause	#
1 2 3 4	MVT, Unintentional Poisoning, Self inflicted Fall, Unintentional Other spec/class, Unintentional	210 64 57 32
5 <b>TOTAL</b>	Poisoning, Unintentional Other	26 238 <b>627</b>

	AGES 15-34: 2007 to 2009  ONSLOW	
Rank	Cause	#
1	MVT, Unintentional	2,584
2	Fall, Unintentional	2,346
3	Struck, Unintentional	1,565
4	Overexertion, Unintentional	1,490
5	Unspecified, Unintentional Other	1444 5,137
TOTAL	Culoi	14,566

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 ORANGE	
Rank	Cause	#
1	MVT, Unintentional	17
2	Poisoning, Unintentional	10
3	Suffocation, Self inflicted; Firearm,	7
4	Firearm, Self inflicted	4
	Poisoning, Self inflicted; Drowning,	
5	Unintentional	2
	Other	5
TOTAL		54

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 ORANGE		
Rank	Cause	#
1	Poisoning, Self inflicted	107
2	MVT, Unintentional	106
3	Fall, Unintentional	43
4	Poisoning, Unintentional	38
5	Fire/Burn, Unintentional Other	31 222
TOTAL		547

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 ORANGE	
Rank	Cause	#
1	MVT Unintentional	944
	MVT, Unintentional	•
2	Fall, Unintentional	876
3	Struck, Unintentional	814
4	Overexertion, Unintentional	714
5	Cut/pierce, Unintentional	587
	Other	2,033
TOTAL		5,968

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 PAMLICO	
Rank	Cause	#
1 2 3	MVT, Unintentional Firearm, Self inflicted Poisoning, Self inflicted; Other	6 3 1
4 5	<b>G</b> ,	
TOTAL	Other	0 <b>13</b>

	AGES 15-34: 2007 to 2009 PAMLICO	
Rank	Cause	#
1	MVT, Unintentional	14
2	Fall. Unintentional	5
3	Unspecified, Unintentional;	4
4	Overexertion, Unintentional	3
	Struck, Unintentional; Other	
5	spec/class, Unintentional	2
	Other	4
TOTAL		42

	AGES 15-34: 2007 to 2009 PAMLICO	
Rank	Cause	#
1	MVT, Unintentional	148
2	Overexertion, Unintentional	125
3	Fall, Unintentional	111
4	Struck, Unintentional	97
5	Unspecified, Unintentional Other	71 255
TOTAL		807

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 PASQUOTANK	
Rank	Cause	#
1 2 3	Poisoning, Unintentional; MVT, Drowning, Unintentional Transport,other, Unintentional;	3 2 1
4		
5 <b>TOTAL</b>	Other	0 <b>10</b>

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 PASQUOTANK		
Rank	Cause	#
1	Poisoning, Self inflicted	15
2	MVT, Unintentional	12
3	Fall, Unintentional	8
	Unspecified, Unintentional;	
	Poisoning, Undetermined; Other	
	spec/notclass, Unintentional;	
	Cut/pierce, Unintentional;	
4	Cut/pierce, Self inflicted	4
•	Poisoning, Unintentional;	3
5	•	3
5	Cut/pierce, Assault	40
	Other	12
ΤΩΤΔΙ		73

	AGES 15-34: 2007 to 2009 PASQUOTANK	
Rank	Cause	#
1 2 3	MVT, Unintentional Fall, Unintentional Unspecified, Unintentional	445 98 84
4	Struck, Unintentional	79
5 TOTAL	Overexertion, Unintentional Other	65 245 <b>1,016</b>

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 PENDER	
Rank	Cause	#
1 2 3 4 5	MVT, Unintentional Suffocation, Self inflicted; Poisoning, Firearm, Assault; Fire/Burn, Drowning, Unintentional	15 3 2 1
o TOTAL	Other	0 <b>29</b>

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 PENDER		
Rank	Cause	#
1	MVT Unintentional	47
•	MVT, Unintentional	• • •
2	Other spec/class, Unintentional	22
3	Poisoning, Self inflicted	21
4	Fall, Unintentional	15
5	Transport,other, Unintentional	12
	Other	47
TOTAL		164

Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 PENDER		
Rank	Cause	#
1	MVT, Unintentional	714
2	Fall, Unintentional	401
3	Unspecified, Unintentional	298
4	Struck, Unintentional	271
5	Overexertion, Unintentional	265
	Other	739
TOTAL		2,688

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 PERQUIMANS	
Rank	Cause	#
1 2	Suffocation, Self inflicted; Poisoning,	1
3 4 5	Other	0
TOTAL		3

Lead	ling Causes of Injury Hospitalizati AGES 15-34: 2007 to 2009 PERQUIMANS	on**
Rank	Cause	#
1	Poisoning, Unintentional; MVT,	4
2	Natural/Environ, Unintentional	3
	Poisoning, Self inflicted;	
3	Cut/pierce, Unintentional	2
4	Struck, Unintentional; Other	1
5		
	Other	0
TOTAL		20

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 PERQUIMANS	
Rank	Cause	#
1	MVT, Unintentional	110
2	Fall, Unintentional	51
3	Unspecified, Unintentional	46
4	Struck, Unintentional	44
5	Overexertion, Unintentional	40
	Other	136
TOTAL		427

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 PERSON	
Rank	Cause	#
1	MVT, Unintentional	13
2	Poisoning, Unintentional; Firearm,	5
3	Suffocation, Self inflicted; Firearm,	2
4	Unspecified, Undetermined;	1
5	-	
	Other	0
TOTAL		30

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 PERSON			
Rank	Cause	#	
1	MVT, Unintentional	41	
2	Poisoning, Self inflicted	23	
3	Fall, Unintentional	17	
4	Other spec/class, Unintentional	13	
5	Firearm, Assault	10	
	Other	68	
TOTAL	TOTAL 172		

Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 PERSON		
Rank	Cause	#
1	Overexertion, Unintentional	782
2	MVT, Unintentional	630
3	Fall, Unintentional	546
4	Struck, Unintentional	496
5	Cut/pierce, Unintentional	359
	Other	1,413
TOTAL		4,226

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 PITT		
Rank	Cause	#
1	MVT, Unintentional	38
2	Firearm, Assault	19
3	Poisoning, Unintentional	15
4	Firearm, Self inflicted	5
5	Fall, Unintentional	3
	Other	8
TOTAL		88

AGES 15-34: 2007 to 2009 PITT	
Cause	#
Poisoning, Self inflicted	152
MVT, Unintentional	143
Fall, Unintentional	54
Poisoning, Unintentional	30
Cut/pierce, Self inflicted	27
Other	234
	640
	Cause  Poisoning, Self inflicted MVT, Unintentional Fall, Unintentional Poisoning, Unintentional Cut/pierce, Self inflicted

Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 PITT		
Rank	Cause	#
1	MVT, Unintentional	1,915
2	Fall, Unintentional	1,189
3	Struck, Unintentional	1,049
4	Overexertion, Unintentional	862
5	Cut/pierce, Unintentional	792
	Other	3,091
TOTAL		8,898

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 POLK		
Rank	Cause	#
1	Poisoning, Unintentional	3
2	MVT, Unintentional	2
3	Suffocation, Self inflicted; Other land	1
4		
5		
	Other	0
TOTAL	•	7

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 POLK		
Rank	Cause	#
	D :	40
1	Poisoning, Self inflicted	13
2	Other spec/class, Unintentional	8
3	Poisoning, Undetermined; Other Poisoning, Unintentional; Fall,	3
4	Unintentional	2
5	Unspecified, Unintentional	1
O	Other	0
TOTAL	, Out let	<b>38</b>

Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 POLK		
Rank	Cause	#
1 2 3	MVT, Unintentional Fall, Unintentional Overexertion, Unintentional	180 155 96
4 5 <b>TOTAL</b>	Struck, Unintentional Transport,other, Unintentional Other	83 44 232 <b>790</b>

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 RANDOLPH	
Rank	Cause	#
1	MVT, Unintentional	37
2	Poisoning, Unintentional; Firearm,	12
3	Firearm, Self inflicted	9
4	Suffocation, Self inflicted	7
5	Poisoning, Self inflicted	3
	Other	9
TOTAL		89

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 RANDOLPH		
Rank	Cause	#
4		
1	MVT, Unintentional	151
2	Poisoning, Self inflicted	117
3	Fall, Unintentional	41
4	Transport,other, Unintentional	37
5	Poisoning, Unintentional	32
	Other	228
TOTAL		606

Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 RANDOLPH		
Rank	Cause	#
1	MVT, Unintentional	2,142
2	Fall, Unintentional	2,080
3	Struck, Unintentional	1,412
4	Overexertion, Unintentional	1,336
5	Unspecified, Unintentional	1,060
	Other	4,298
TOTAL		12,328

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 RICHMOND		
Rank	Cause	#
1	MVT, Unintentional	8
2	Poisoning, Unintentional	7
3	Firearm, Self inflicted; Firearm,	4
4	Suffocation, Self inflicted; Poisoning,	2
	Transport, other, Unintentional; Other	
	land transport, Unintentional;	
5	Firearm, Unintentional	1
	Other	0
TOTAL	•	32

AGES 15-34: 2007 to 2009  RICHMOND			
Rank	Cause	#	
1 2 3 4	MVT, Unintentional Poisoning, Self inflicted Fall, Unintentional Transport,other, Unintentional;	53 44 18 11	
5 <b>TOTAL</b>	Unspecified, Unintentional; Struck, Assault Other	10 80 <b>237</b>	

Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 RICHMOND		
Rank	Cause	#
1 2 3 4	MVT, Unintentional Fall, Unintentional Overexertion, Unintentional Struck, Unintentional	893 583 461 431
5 <b>TOTAL</b>	Unspecified, Unintentional Other	332 1,485 <b>4,185</b>

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 ROBESON		
Rank	Cause	#
1	MVT, Unintentional	69
2	Firearm, Assault	50
3	Poisoning, Unintentional; Firearm,	12
4	Cut/pierce, Assault	4
	Suffocation, Self inflicted; Other land	
	transport, Unintentional; Drowning,	
5	Unintentional	3
	Other	13
TOTAL		169

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 ROBESON		
Rank	Cause	#
4	M\/T_lleintentional	225
1	MVT, Unintentional	235
2	Poisoning, Self inflicted	148
3	Unspecified, Unintentional	71
4	Other spec/class, Unintentional	55
5	Firearm, Assault	53
	Other	440
TOTAL		1,002

	AGES 15-34: 2007 to 2009 ROBESON	
Rank	Cause	#
1 2 3 4	MVT, Unintentional Fall, Unintentional Unspecified, Unintentional Struck, Unintentional	3,998 2,235 1,717 1,605
5 <b>TOTAL</b>	Overexertion, Unintentional Other	1600 6,098 <b>17,253</b>

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 ROCKINGHAM		
Rank	Cause	#
1	MVT, Unintentional	35
2	Poisoning, Unintentional	11
3	Firearm, Assault	5
4	Suffocation, Self inflicted; Firearm,	3
	Poisoning, Self inflicted; Drowning,	
5	Unintentional	2
	Other	2
TOTAL		63

Leading Causes of Injury Hospitalization**  AGES 15-34: 2007 to 2009  ROCKINGHAM			
Rank	Cause	#	
1	MVT, Unintentional	121	
2	Poisoning, Self inflicted	114	
3	Poisoning, Unintentional	38	
4	Fall, Unintentional	34	
5	Unspecified, Self inflicted Other	19 174	
TOTAL		500	

	AGES 15-34: 2007 to 2009  ROCKINGHAM	
Rank	Cause	#
1	Fall, Unintentional	1,153
2	MVT, Unintentional	886
3	Struck, Unintentional	802
4	Unspecified, Unintentional	711
5	Overexertion, Unintentional	632
	Other	2,667
TOTAL		6,851

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 ROWAN		
Rank	Cause	#
1	MVT, Unintentional	33
2	Poisoning, Unintentional	30
3	Firearm, Assault	12
4	Firearm, Self inflicted	7
5	Suffocation, Self inflicted	4
	Other	19
TOTAL		105

AGES 15-34: 2007 to 2009  ROWAN			
Rank	Cause	#	
1	MVT, Unintentional	153	
2	Poisoning, Self inflicted	90	
	Other spec/class, Unintentional;		
3	Fall, Unintentional	44	
4	Poisoning, Unintentional	42	
5	Unspecified, Unintentional	26	
	Other	163	
TOTAL		562	

Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 ROWAN		
Rank	Cause	#
1	MVT, Unintentional	2,519
2	Fall, Unintentional	2,183
3	Struck, Unintentional	1539
4	Overexertion, Unintentional	1,513
5	Unspecified, Unintentional	1,483
	Other	4,118
TOTAL		13,355

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 RUTHERFORD		
Rank	Cause	#
_		
1	Poisoning, Unintentional	12
2	MVT, Unintentional	10
3	Suffocation, Self inflicted	6
4	Poisoning, Undetermined; Firearm, Suffocation, Unintentional;	2
	Suffocation, Assault; Poisoning, Self	
	inflicted; Other spec/class,	
5	Unintentional; Firearm, Assault	1
	Other	0
TOTAL		39

	AGES 15-34: 2007 to 2009 RUTHERFORD	
Rank	Cause	#
1	Poisoning, Self inflicted	54
2	MVT, Unintentional	42
3	Cut/pierce, Self inflicted	22
4	Poisoning, Unintentional	21
5	Fall, Unintentional Other	20 93
TOTAL		252

	AGES 15-34: 2007 to 2009 RUTHERFORD	
Rank	Cause	#
1 2 3 4	Fall, Unintentional MVT, Unintentional Overexertion, Unintentional Struck, Unintentional	1,619 1,254 1,137 1,021
5 <b>TOTAL</b>	Unspecified, Unintentional Other	750 2,874 <b>8,655</b>

#
,,
32 13
3 2
1 0 <b>63</b>

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 SAMPSON			
Rank	Cause	#	
1 2 3 4	MVT, Unintentional Poisoning, Self inflicted Fall, Unintentional Other spec/class, Unintentional	100 58 38 22	
5 <b>TOTAL</b>	Struck, Unintentional Other	21 144 <b>383</b>	

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 SAMPSON	
Rank	Cause	#
1	MVT, Unintentional	1,339
2	Fall, Unintentional	811
3	Struck, Unintentional	803
4	Overexertion, Unintentional	753
5	Unspecified, Unintentional Other	741 2,180
TOTAL		6,627

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 SCOTLAND		
Rank	Cause	#
1	Firearm, Assault	12
2	-	12 8
	MVT, Unintentional	
3	Poisoning, Unintentional	4
4	Unspecified, Assault; Other land	1
5	Other	0
TOTAL	Other	0 <b>37</b>
IIOIAL	•	21

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 SCOTLAND		
Rank	Cause	#
1	MVT, Unintentional	50
2	Poisoning, Self inflicted	38
3	Poisoning, Unintentional	14
4	Cut/pierce, Assault	13
	Other spec/class, Unintentional;	
5	Firearm, Unintentional	8
	Other	64
TOTAL		195

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 SCOTLAND	
Rank	Cause	#
1	MVT, Unintentional	821
2	Struck, Unintentional	570
3	Overexertion, Unintentional	474
4	Fall, Unintentional	463
5	Unspecified, Unintentional Other	341 1,445
TOTAL		4,114

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 STANLY	
Rank	Cause	#
1	MVT, Unintentional	14
2	Poisoning, Unintentional	9
3	Firearm, Self inflicted	4
4	Suffocation, Self inflicted; Firearm,	2
	Struck, Unintentional; Poisoning,	
	Undetermined; Other land transport,	
	Unintentional; Other land transport,	
5	Assault	1
3		1
	Other	U
TOTAL	•	37

AGES 15-34: 2007 to 2009 STANLY			
Rank	Cause	#	
1 2 3 4	MVT, Unintentional Poisoning, Self inflicted Other spec/class, Unintentional Poisoning, Undetermined	75 32 28 24	
5 <b>TOTAL</b>	Fall, Unintentional Other	23 107 <b>289</b>	

AGES 15-34: 2007 to 2009 STANLY		
Rank	Cause	#
1 2 3 4	MVT, Unintentional Fall, Unintentional Struck, Unintentional Overexertion, Unintentional	289 237 138 129
5 <b>TOTAL</b>	Unspecified, Unintentional Other	116 607 <b>1,516</b>

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 STOKES		
Rank	Cause	#
1	MVT, Unintentional	11
2	Poisoning, Unintentional	6
3	Firearm, Self inflicted	5
4	Fall, Unintentional	3
5	Poisoning, Self inflicted	2
	Other	2
TOTAL		29

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 STOKES		
Rank	Cause	#
_		
1	MVT, Unintentional	50
2	Poisoning, Self inflicted	40
3	Fall, Unintentional	13
	Poisoning, Unintentional;	
4	Poisoning, Undetermined	11
5	Cut/pierce, Self inflicted	9
	Other	59
TOTAL		193

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 STOKES	
Rank	Cause	#
1 2 3	Fall, Unintentional Struck, Unintentional MVT, Unintentional	1,109 773 636
4 5 <b>TOTAL</b>	Unspecified, Unintentional Overexertion, Unintentional Other	476 411 1,544 <b>4,949</b>

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 SURRY	
Rank	Cause	#
1 2 3 4 5	Poisoning, Unintentional; MVT, Firearm, Assault Suffocation, Self inflicted; Firearm, Unspecified, Unintentional;	16 9 3 1
TOTAL	Other	0 <b>51</b>

AGES 15-34: 2007 to 2009 SURRY		
Rank	Cause	#
1	Doingning Solf inflicted	82
•	Poisoning, Self inflicted	
2	MVT, Unintentional	79
3	Poisoning, Unintentional	29
4	Fall, Unintentional	26
5	Other spec/class, Unintentional	22
	Other	128
TOTAL		366

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 SURRY	
Rank	Cause	#
1	Fall. Unintentional	1,379
2	Overexertion, Unintentional	1,164
3	MVT, Unintentional	1,150
4	Struck, Unintentional	930
5	Cut/pierce, Unintentional	629
	Other	2,752
TOTAL		8,004

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 SWAIN	
Rank	Cause	#
1	MVT, Unintentional	6
2	Poisoning, Unintentional Firearm, Assault	4 3
3 4	Suffocation, Self inflicted Poisoning, Self inflicted; Firearm, Self inflicted; Fall, Unintentional;	2
5 TOTAL	Drowning, Unintentional Other	1 0 <b>19</b>

Lead	AGES 15-34: 2007 to 2009		
Donk	SWAIN	ш	
Rank	Cause	#	
1	Poisoning, Unintentional	18	
2	Poisoning, Self inflicted; MVT, Unintentional	14	
3	Fall, Unintentional; Cut/pierce, Assault	8	
4	Unspecified, Unintentional	7	
5	Transport,other, Unintentional Other	5 21	
TOTAL	•	95	

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 SWAIN	
Rank	Cause	#
1	Fall, Unintentional	382
2	Overexertion, Unintentional	269
3 4	Struck, Unintentional MVT, Unintentional	258 199
5 <b>TOTAL</b>	Cut/pierce, Unintentional Other	174 846 <b>2,128</b>

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 TRANSYLVANIA	
Rank	Cause	#
1	Poisoning, Unintentional	14
2	MVT, Unintentional	7
3	Suffocation, Self inflicted; Firearm,	2
4	Suffocation, Unintentional; Other	1
5		
TOTAL	Other	0 <b>31</b>

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 TRANSYLVANIA		
Rank	Cause	#
1	Poisoning, Self inflicted	25
2	MVT, Unintentional	14
3	Fall, Unintentional	8
4	Poisoning, Unintentional	7
5	Cut/pierce, Self inflicted	6
	Other	32
TOTAL		92

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 TRANSYLVANIA	
Rank	Cause	#
1	Fall, Unintentional	644
2	Overexertion, Unintentional	607
3	Struck, Unintentional	591
4	MVT, Unintentional	447
5	Unspecified, Unintentional	432
	Other	1,240
TOTAL		3,961

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 TYRRELL		
Rank	Cause	#
1	MVT, Unintentional; Fall,	1
2 3 4 5		
TOTAL	Other -	0 <b>2</b>

AGES 15-34: 2007 to 2009  TYRRELL			
Rank	Cause	#	
1	Poisoning, Self inflicted; MVT, Struck, Assault; Cut/pierce,	2	
2 3	Unintentional; Cut/pierce, Self inflicted	1	
4 5			
TOTAL	Other	0 <b>7</b>	

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 TYRRELL	
Rank	Cause	#
1	Fall, Unintentional	25
2	Struck, Unintentional	24
3	MVT, Unintentional	23
4	Overexertion, Unintentional	16
5	Unspecified, Unintentional	14
	Other	48
TOTAL	•	150

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 UNION		
Rank	Cause	#
4	NAVT Helician disease	0.4
1	MVT, Unintentional	34
2	Poisoning, Unintentional	17
3	Firearm, Self inflicted; Firearm,	10
4	Suffocation, Self inflicted	7
5	Firearm, Unintentional	3
	Other	6
TOTAL		87

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 UNION			
Rank	Cause	#	
1	MVT Unintentional	137	
•	MVT, Unintentional	_	
2	Poisoning, Self inflicted	113	
3	Fall, Unintentional	53	
4	Other spec/class, Unintentional	52	
5	Poisoning, Unintentional	35	
	Other	229	
TOTAL	TOTAL 619		

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 UNION		
Rank	Cause	#	
1	MVT, Unintentional	2,475	
2	Fall, Unintentional	1,468	
3	Overexertion, Unintentional	1,453	
4	Struck, Unintentional	1,446	
5	Unspecified, Unintentional	1,199	
	Other	3,913	
TOTAL		11,954	

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 VANCE		
Rank	Cause	#
1	Firearm, Assault	10
2	MVT, Unintentional	9
3	Poisoning, Unintentional	7
4	Firearm, Self inflicted	4
	Unspecified, Unintentional;	
5	Unspecified, Assault	2
	Other	5
TOTAL		39

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 VANCE		
Rank	Cause	#
1	MVT, Unintentional	47
2	Firearm, Assault	30
3	Fall, Unintentional	20
4	Poisoning, Self inflicted	15
5	Poisoning, Unintentional Other	12 94
TOTAL		218

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 VANCE	
Rank	Cause	#
1	MVT, Unintentional	438
2	Fall, Unintentional	342
3	Overexertion, Unintentional	297
4	Struck, Unintentional	281
5	Cut/pierce, Unintentional	134
TOTAL	Other	717 <b>2,209</b>

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 WAKE	
Rank	Cause	#
1	MVT, Unintentional	107
2	Poisoning, Unintentional	45
3	Firearm, Self inflicted	34
4	Firearm, Assault	33
5	Suffocation, Self inflicted	21
	Other	62
TOTAL		302

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 WAKE		
Rank	Cause	#
1	MVT, Unintentional	596
2	Poisoning, Self inflicted	349
3	Fall, Unintentional	295
4	Other spec/class, Unintentional	165
5	Poisoning, Unintentional	153
	Other	1,056
TOTAL		2,614

	Leading Causes of Injury ED Visits AGES 15-34: 2007 to 2009 WAKE	**
Rank	Cause	#
1	MVT, Unintentional	10,448
2	Struck, Unintentional	7,354
3	Fall, Unintentional	6,842
4	Overexertion, Unintentional	5,129
5	Cut/pierce, Unintentional	4,099
	Other	15,729
TOTAL		49,601

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 WARREN		
Rank	Cause	#
1 2 3 4	MVT, Unintentional Firearm, Assault	6
5 <b>TOTAL</b>	Other	0 <b>9</b>

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 WARREN		
Rank	Cause	#
1	MVT, Unintentional	27
2	Poisoning, Self inflicted	9
3	Firearm, Assault	5
4	Poisoning, Unintentional	4
	Other spec/class, Unintentional;	
5	Fall, Unintentional	3
	Other	17
TOTAL		68

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 WARREN	
Rank	Cause	#
	AN/T Heistandard	400
1	MVT, Unintentional	160
2	Overexertion, Unintentional	75
3	Struck, Unintentional	68
4	Fall, Unintentional	64
5	Cut/pierce, Unintentional	26
	Other	170
TOTAL		563

	Leading Causes of Injury Death AGES 15-34: 2007 to 2009 WASHINGTON	
Rank	Cause	#
1 2	MVT, Unintentional	2
3		
4		
4 5		
J	Other	0
TOTAL	•	2

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 WASHINGTON		
Rank	Cause	#
1	MVT, Unintentional	6
2	Poisoning, Self inflicted Unspecified, Unintentional;	3
3	Poisoning, Undetermined Poisoning, Unintentional; Other spec/class, Unintentional; Firearm, Unintentional; Firearm, Assault; Fire/Burn, Assault; Fall, Unintentional; Cut/pierce, Unintentional; Cut/pierce, Self	2
4 5	inflicted; Cut/pierce, Assault	1
TOTAL	Other	0 <b>22</b>

AGES 15-34: 2007 to 2009 WASHINGTON		
Rank	Cause	#
1 2	MVT, Unintentional Fall, Unintentional	69 55
3	Overexertion, Unintentional	33
4	Unspecified, Unintentional	29
5	Struck, Unintentional Other	27 90
TOTAL		303

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 WATAUGA		
Rank	Cause	#
1	Poisoning, Unintentional	7
2	Firearm, Self inflicted	5
3	Poisoning, Self inflicted; MVT,	2
4	Suffocation, Self inflicted	1
5		
	Other	0
TOTAL		19

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 WATAUGA		
Rank	Cause	#
1	Poisoning, Self inflicted	29
2	Fall, Unintentional	20
3	MVT, Unintentional	18
4	Other spec/class, Unintentional	11
5	Poisoning, Undetermined	9
	Other	37
TOTAL		124

	AGES 15-34: 2007 to 2009 WATAUGA	
Rank	Cause	#
1	Fall. Unintentional	608
2	Struck, Unintentional	422
3	MVT, Unintentional	385
4	Cut/pierce, Unintentional	341
5	Overexertion, Unintentional	319
	Other	955
TOTAL		3,030

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 WAYNE		
Rank	Cause	#
4	NAVIT III day day al	00
1	MVT, Unintentional	30
2	Firearm, Assault	20
	Poisoning, Unintentional	14
3	-	
4	Firearm, Self inflicted	9
5	Suffocation, Self inflicted	6
	Other	15
TOTAL		94

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 WAYNE		
Rank	Cause	#
1	MVT, Unintentional	133
2	Poisoning, Self inflicted	110
_	Unspecified, Unintentional; Fall,	40
3	Unintentional	
4	Cut/pierce, Self inflicted	36
5	Firearm, Unintentional	25
	Other	215
TOTAL		599

	Leading Causes of Injury ED Visits* AGES 15-34: 2007 to 2009 WAYNE	*
Rank	Cause	#
1	MVT, Unintentional	2,408
2	Struck, Unintentional	1,670
	Fall, Unintentional	1,593
3		
4	Overexertion, Unintentional	1,358
5	Unspecified, Unintentional	1,026
	Other	4,613
TOTAL		12,668

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 WILKES		
Rank	Cause	#
1	Poisoning, Unintentional	25
2	MVT, Unintentional	23
3	Suffocation, Self inflicted; Firearm,	2
4	Struck, Unintentional; Other land	1
5		
	Other	0
TOTAL		56

	AGES 15-34: 2007 to 2009 WILKES	
Rank	Cause	#
1	Poisoning, Self inflicted	70
2	MVT, Unintentional	68
3	Poisoning, Unintentional	20
4	Fall, Unintentional	19
5	Poisoning, Undetermined	16
	Other	108
TOTAL		301

	AGES 15-34: 2007 to 2009 WILKES	
Rank	Cause	#
1	MVT, Unintentional	389
2	Fall, Unintentional	305
3	Struck, Unintentional	199
4	Unspecified, Unintentional	159
5	Overexertion, Unintentional	136
	Other	658
TOTAL		1,846

<sup>\*</sup> NC Residents based on county and state

<sup>\*\*</sup>Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 WILSON		
Rank	Cause	#
1	MVT, Unintentional	21
2	Firearm, Assault	13
3	Poisoning, Unintentional	4
4	Firearm, Self inflicted	3
5	Poisoning, Self inflicted	2
	Other	5
TOTAL		48

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 WILSON		
Rank	Cause	#
1	MVT, Unintentional	70
2	•	70 59
_	Poisoning, Self inflicted	
3	Fall, Unintentional	22
4	Firearm, Assault	20
	Struck, Assault; Other spec/class,	
5	Unintentional	14
	Other	114
TOTAL		313

	Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 WILSON	
Rank	Cause	#
1	MVT, Unintentional	1,403
2	Overexertion, Unintentional	1,087
3	Fall, Unintentional	786
4	Struck, Unintentional	724
5	Unspecified, Unintentional Other	657 2,255
TOTAL		6,912

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 YADKIN		
Rank	Cause	#
1 2	Poisoning, Unintentional MVT, Unintentional	7 4
3 4 5	Firearm, Self inflicted Suffocation, Unintentional;	3 1
TOTAL	Other	0 <b>18</b>

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 YADKIN		
Rank	Cause	#
1	MVT, Unintentional	39
2	Poisoning, Self inflicted	27
_	Poisoning, Unintentional; Other	21
3	spec/class, Unintentional	10
4	Unspecified, Unintentional;	7
5	Struck, Unintentional	6
	Other	31
TOTAL 137		
· ·		·

Leading Causes of Injury ED Visits** AGES 15-34: 2007 to 2009 YADKIN		
Rank	Cause	#
1	Fall, Unintentional	504
2	MVT, Unintentional	432
3	Struck, Unintentional	425
4	Unspecified, Unintentional	355
5	Overexertion, Unintentional	327
	Other	864
TOTAL		2,907

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 15-34: 2007 to 2009 YANCEY		
Rank	Cause	#
1	Poisoning, Unintentional	4
2	Suffocation, Self inflicted	2
3	Struck, Unintentional; MVT,	1
4		
5 <b>TOTAL</b>	Other .	0 <b>8</b>

Leading Causes of Injury Hospitalization** AGES 15-34: 2007 to 2009 YANCEY		
Rank	Cause	#
1	MVT, Unintentional	13
2	Poisoning, Self inflicted	7
3	Poisoning, Unintentional; Fall,	6
	Other spec/notclass,	
	Unintentional; Other spec/class,	3
4	Unintentional	
	Unspecified, Unintentional;	2
	Transport,other, Unintentional;	
	Struck, Unintentional; Poisoning,	
5	Undetermined	
	Other	5
TOTAL		51

AGES 15-34: 2007 to 2009 YANCEY		
Rank	Cause	#
1 2 3	MVT, Unintentional Fall, Unintentional Struck, Assault	151 85 38
4	Struck, Unintentional	35
5 <b>TOTAL</b>	Transport,other, Unintentional Other	34 173 <b>516</b>

<sup>\*</sup> NC Residents based on county and state
\*\*Excluding adverse effects within healthcare settings and missing Ecodes.