


ELDER SUICIDE IN NORTH CAROLINA, 2013 - 2017


The North Carolina Violent Death Reporting System (NC-VDRS) is a CDC-funded statewide surveillance system that collects detailed information on deaths that occur in North Carolina resulting from violence: homicide, suicide, unintentional firearm deaths, legal intervention and deaths for which intent could not be determined. NC-VDRS is a multi-source system that gathers information from death certificates, medical examiner reports and law enforcement reports. The goal of this system is to aid researchers, legislators, and community interest groups in the development of public health prevention strategies to reduce violent deaths. NC-VDRS began collecting data in January 2004. This document summarizes deaths among North Carolina residents ages 65 and older completing suicide for the years 2013 - 2017.

Elder Specific Suicide Rates* by Age Groups:



- From 2013 to 2017, 1,552 North Carolina residents ages 65 and older died as a result of violence. Of these violent deaths, 1,261 were suicide (81.3%).
- The elder suicide rate was 16.6 suicides per 100,000.
- 81.7% of elder suicides were among males.
- The suicide rate peaked among males 85 and older, and the suicide rate was consistently higher for males compared to females for all age groups.
- Among females, the suicide rate peaked among those ages 65-74.
- 93.9% of elder suicide victims were identified as non-Hispanic (NH) white. The remaining 6.1% were identified as NH black, NH Asian, NH American Indian, or Hispanic.

Elder Suicide Method of Death: NC-VDRS, 2013 - 2017




- Overall, the most common method of suicide among elder suicide victims was firearms (78.4%), followed by poisoning (11.1%) and hanging/strangulation/ suffocation (7.3%).
- 3.2% of suicides were completed using a method other than firearms, poisoning or hanging.

^{*}Other methods include: sharp instrument, fire/burns, motor vehicle and other.

Elder Suicide Circumstances*: NC-VDRS, 2013 - 2017

N.C. Division of Public Health - N.C. Violent Death Reporting System



- Over one-third (34.4%) of elder male suicide victims with circumstance information were characterized as having a current depressed mood at the time of death compared to 32.1% of females.
- 64.8% of elder female and 42.8% of elder male suicide victims had a current mental health problem when they completed suicide.
- 20.4% of elder females had a history of prior suicide attempts, whereas only 6.2% of elder males had a history of prior suicide attempts.
- 56.6% of males and 36.7% of females had a physical health problem.

More information on suicide prevention efforts can be found at:

State Resource Partners

N.C. Division of Mental Health.

Developmental Disabilities and Substance Abuse Services

https://www.ncdhhs.gov/divisions/mhddsas

North Carolina Office of the Chief Medical Examiner

https://www.ocme.dhhs.nc.gov/

The Triangle Coalition for Suicide Prevention

https://trianglesuicideprevention.org/

North Carolina Mental Health, Substance Use, and Aging Coalition

https://www.med.unc.edu/aging/cgec/mental-health/

National Resources

The Suicide Prevention Resource Center

http://www.sprc.org/

The American Foundation for Suicide Prevention

https://afsp.org/

The National Suicide Prevention Lifeline

(for suicide crisis calls)

1-800-273-8255

N.C. Division of Aging and Adult Services

https://www.ncdhhs.gov/divisions/daas

The North Carolina Violent Death Reporting System is supported by Cooperative Agreement 5NU17/CE002613-05-00 from the Centers for Disease Control and Prevention (CDC).

DEPARTMENT OF



N.C. Violent Death Reporting System / 919-707-5432 State of North Carolina / Department of Health and Human Services / www.ncdhhs.gov

N.C. DHHS is an equal opportunity employer and provider. 2013 - 2017 FINAL Data 5/19

Please see the NC-VDRS 2017 Annual Report for additional data and technical information.

N.C. Division of Public Health / www.publichealth.nc.gov / Injury Epidemiology & Surveillance Unit/ 919-707-5425

^{*}Circumstances are known for 95% males (n=976) and 95% females (n=221).